

Comment on “Ground State Phase Diagram of a Half-Filled One-Dimensional Extended Hubbard Model”

Anders W. Sandvik,¹ Pinaki Sengupta,² and David K. Campbell³

¹*Department of Physics, Åbo Akademi University, Porthansgatan 3, FIN-20500, Turku, Finland*

²*Department of Physics, University of California, Davis, California 95616*

³*Departments of Physics and of Electrical and Computer Engineering, Boston University, 44 Cummington Street, Boston, Massachusetts 02215*

(Dated: August 20, 2003)

PACS numbers: 71.10.Fd, 71.10.Hf, 71.10.Pm, 71.30.+h

In [1], Jeckelmann argued that the recently discovered bond-order-wave (BOW) phase [2, 3, 4] of the 1D extended Hubbard model does not have a finite extent in the (U, V) plane, but exists only on a segment of a first-order spin-density-wave-charge-density-wave (SDW-CDW) phase boundary. We here present quantum Monte Carlo results of higher precision and for larger system sizes than previously [3]. Using a direct finite-size scaling of the BOW correlations, we reconfirm that the BOW phase *does exist* a finite distance away from the phase boundary, which hence is a BOW-CDW transition curve. We only address the existence of the BOW phase and focus on a single value, $U = 4$, of the on-site interaction.

We first determine the critical value V_c of the nearest-neighbor interaction. Fig. 1(a) shows the V -dependence of the charge susceptibility $\chi_c(q)$ at the smallest non-zero wave-number, $q = 2\pi/N$, for different system sizes N (for the definition of χ_c , see [3]). The narrowing of the peak with increasing N and the convergence of the height indicate a charge gap for all V except at V_c , i.e., in disagreement with [1] we find a continuous phase transition at $U = 4$. The peak position gives $V_c = 2.1602 \pm 0.0003$, which improves considerably on the estimate $V_c = 2.150 \pm 0.010$ reported in [1].

We next choose $V = 2.10$, where according to [1] there should be no long-range BOW. In Fig. 1(b) we show the corresponding correlation function $C_B(r)$ at the longest distance, $r = N/2$, in periodic chains with up to $N = 512$ sites. As a function of $1/N$ for large N , the data scale linearly to a value which corresponds to dimerization $\delta = \sqrt{C_B}/2 \approx 0.053$ (as defined in [1]). It is not clear why the density matrix renormalization group (DMRG) calculations of [1] failed to detect this rather strong BOW order. Dimerization was observed only on the transition curve to the CDW phase [1], where we instead find coexisting critical BOW and CDW fluctuations. The origin of this discrepancy at V_c could be that V_c was not determined to sufficient accuracy in [1].

In summary, our improved calculations do not agree with the phase diagram presented in [1] but reconfirm the finite extent of the BOW phase [3] as first suggested in [2]. The advantage of the Monte Carlo method we have used




FIG. 1: (a) Charge susceptibility at $q = 2\pi/N$ for $N = 32, 64, 128, 256$, and 512 (curvature increases with N). (b) BOW correlation at distance $r = N/2$ versus inverse system size ($V = 2.10$), along with a linear fit to the large- N data.

[3, 5] is that results can be obtained for large periodic systems, which are better suited for finite-size scaling than the open boundary conditions typically used in DMRG calculations on long chains. With the recently improved simulation algorithm [5] that we have used here, we hope to be able to determine the full extent of the BOW phase in the (U, V) plane.

This work is supported by the Academy of Finland, project 26175 (AWS), and by the NSF under Grants No. DMR-99-86948 (PS) and DMR-97-12765 (DKC). The calculations were carried out at the NCSA in Urbana, Illinois, and at the CSC in Helsinki.

- [1] E. Jeckelmann, Phys. Rev. Lett. **89**, 236401 (2002).
- [2] M. Nakamura, J. Phys. Soc. Jpn. **68**, 3123 (1999).
- [3] P. Sengupta, A. W. Sandvik, and D. K. Campbell, Phys. Rev. B **65**, 155113 (2002).
- [4] M. Tsuchiizu and A. Furusaki, Phys. Rev. Lett. **88**, 056402 (2002).
- [5] O. F. Syljuåsen and A. W. Sandvik, Phys. Rev. E **66**, 046701 (2002).